

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-000098-LIC
 ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368



Sample **CBG Pre-Roll**

Sample ID	SD221026-020 (54058)	Matrix	Flower (Inhalable Cannabis Good)
Tested for	Rize Wellness, LLC		
Sampled	-	Received	Oct 25, 2022
Analyses executed	CAN+, MWA	Reported	Oct 27, 2022

***CAN+ - Cannabinoids Analysis**

Analyzed Oct 27, 2022 | Instrument HPLC-VWD | Method SOP-001
 Measurement Uncertainty at 95% confidence 7.806%

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
Cannabidiol (CBD)	0.039	0.16	0.03	0.29
Cannabidiolic Acid (CBDA)	0.001	0.16	0.13	1.34
Cannabigerol Acid (CBGA)	0.001	0.16	10.37	103.67
Cannabigerol (CBG)	0.001	0.16	1.62	16.15
Cannabidiol (CBD)	0.001	0.16	<LOQ	<LOQ
Tetrahydrocannabivarin (THCV)	0.001	0.16	0.03	0.27
Cannabinol (CBN)	0.001	0.16	<LOQ	<LOQ
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	0.11	1.05
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	ND	ND
Cannabicyclol (CBL)	0.002	0.16	ND	ND
Cannabichromene (CBC)	0.002	0.16	0.16	1.65
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Total THC (THCa + Δ9THC)			0.11	1.05
Total THC + Δ8THC (THCa + 0.877 + Δ9THC + Δ8THC)			0.11	1.05
Total CBD (CBDA + 0.877 + CBD)			0.12	1.17
Total CBG (CBGA + 0.877 + CBG)			10.71	107.08
Total Cannabinoids			11.15	111.50

*Dry Weight %

MWA - Moisture Content & Water Activity Analysis

Analyzed Oct 27, 2022 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

Analyte	Result	Limit	Analyte	Result	Limit
Moisture (Moi)	7.0 % Mw	13 % Mw	Water Activity (WA)	0.50 a _w	0.85 a _w

UI Not Identified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager
 Thu, 27 Oct 2022 11:34:27 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1

*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

